

# CAYMAN 62 FLY - 2022

BLUEBAY MONACO



UNDER CONSTRUCTION - SEMI CUSTOM

| INDEX PAGE                                | PAGE |
|---|------|
| 1. TECHNICAL FEATURES                     | 3    |
| 2. CONSTRUCTION FEATURES                  | 3    |
| 3. EXTERIOR                               | 4    |
| 3.1 FLYBRIDGE                             | 4    |
| 3.2 MAIN DECK AND COCKPIT                 | 6    |
| 3.3 AFT PLATFORM                          | 8    |
| 4. INTERIOR                               | 8    |
| 4.1 UPPER BRIDGE                          | 8    |
| 4.2 LOWER DECK                            | 11   |
| 5. PROPULSION                             | 18   |
| 6. EXHAUST SYSTEM                         | 18   |
| 7. FUEL SYSTEM                            | 19   |
| 8. SHIP GOVERNMENT SYSTEM                 | 19   |
| 9. BILGE SYSTEM                           | 19   |
| 10. FIRE FIGHTING SYSTEM                  | 20   |
| 11. HYDRAULIC SYSTEM                      | 20   |
| 12. ELECTRICAL SYSTEM                     | 20   |
| 12.1 GENERAL FEATURES                     | 20   |
| 12.2 POWER SUPPLY ENERGY                  | 21   |
| 12.3 LIGHTING AND DISTRIBUTION            | 21   |
| 13. AIR CONDITIONING SYSTEM               | 21   |
| 14. VENTILATION AND AIR EXTRACTION SYSTEM | 22   |
| 15. FRESH WATER SYSTEM (HOT AND COLD)     | 22   |
| 16. BLACK AND GRAY WATER SYSTEMS          | 22   |
| 17. SEA WATER SYSTEM                      | 23   |
| 18. MISCELLANEOUS                         | 23   |
| 19. STANDARD INTERIOR FURNITURE           | 23   |
| 20. PRICELIST & PAYMENT TERMS             | 25   |
| 21. PICTURES                              | 26   |
| 22. BUILDERS CERTIFICATE                  | 29   |

## 1. TECHNICAL FEATURES

|                      |                               |
|----------------------|-------------------------------|
| Overall length of    | 19.30 m                       |
| EC hull length       | 18.60 m                       |
| Maximum width        | 5.07 m                        |
| Draft at full load   | 1.35 m                        |
| Displacement         | 33'000 Kg                     |
| Fuel tank capacity   | 3'200 liter                   |
| Fresh water capacity | 800 liter                     |
| Engines              | MAN 2 x 1200 HP               |
| Transmission         | 2 x ZF Gearbox                |
| Black water tank     | 800 liter                     |
| Gray water tank      | 1 x 800 liter + 1 x 170 liter |
| Safety equipment     |                               |
| Sleeping places      | 6 + 1 crew                    |
| Cabins N °           | 3 guests + 1 crew             |
| Bathroom N °         | 3 seats + 1 for the crew      |

## 2. CONSTRUCTION FEATURES

The planing hull has a variable geometry and is laminated with semi-automatic techniques, using only isophthalic resins specifically for nautical environments, wool and glass fabrics with bonding powders.

An anti-osmosis barrier and a 5-year guarantee against the development of the phenomenon in the hull.

The hull is built with a mixed integrated classical structure and transverse and longitudinal structure on the bottom and a sandwich of PVC "termanto" structures on the sides. The upper deck and the superstructure are made of "termanto" PVC sandwich reinforced with frames, beams with a closed circuit polyurethane core.

Certifications: CE mark-Module B / Category A.

### **3. EXTERIOR**

#### **3.1 FLYBRIDGE**

The large spaces available offer a comfortable environment, as well as a command post, a large sofa with integrated furniture, a table with chairs, a bar with stools and an internal barbeque area and a large sunbathing area. Access is provided by a convenient external staircase from the cockpit. The entire platform is self-draining.

#### OTHER CHARACTERISTICS

- Large plexiglass windscreen with stainless steel supports
- Fiberglass dashboard, which includes:
  - Instrumentation and motors and inverters
  - Engine monitors
  - Motor remote controls
  - Rudder angle indicator
  - Fuel level indicator
  - Engine temperature indicator
- Raymarine I 70 wind
- Raymarine I 70 graphics
- Raymarine I 70 compass
- Raymarine I 70 combi
- Raymarine P70R autopilot
- Raymarine joystick Sea Talk!

- VHF Raymarine 240E
- Projectors controls
- Thrusters checks
- VDO buzzers for various alarms
- Navigation lights
- 1 Raymarine G150 color radar / gps plotter / dephfinder / video
- Pilot and copilot armchairs
- Sofa complete with outdoor cushions
- Sundeck
- VTR bar, which includes:
  - Stainless steel sink with hot and cold taps
  - Fridge c42 L V12-24 / 100-240 DX ST
  - Barbecue-Whirlpool
  - Courtesy lights
- Roll bar complete with antenna: TRACVISION TV antenna
- GPS RAYSTAR 125 SEATALK / NMEA antenna
- 2 landing light bars for flying bridge
- 2 landing light bars under roll bar
- Navigation lights
- Outdoor table in aluminum with supports
- Trumpet
- 2 life rafts for 8 / P Eurovinil

### 3.2 MAIN DECK AND COCKPIT

- Stainless steel stanchions and handrails with flag pole support
- 2 stainless steel gates for access to the cockpit
- 2 stainless steel fairleads in the bow
- 2 bowls in stainless steel bow
- 2 stainless steel aft bollards
- 2 stainless steel fairleads in the middle of the ship
- 2 stern fairleads in stainless steel
- External lights on the gangway
- Handrail
- Fuel boarding on the right and left
- Water boarding in the winch bow locker
- Lofran anchor winch 2500W 24V
- 2 windscreen wipers with window cleaner
- Bow sundeck with outdoor mattresses on both sides
- Reinforced safety glass windows with glued structure and darkening sunscreens
- 2 electric aft capstans in a protected technical area with pedal recess
- Fire hose in the bow
- Stainless steel bow tip suitable for anchoring Sanguineti
- 2 Sanguineti 90 kg galvanized SC92 anchors
- Chain 14 mm, 75 m
- Chain washing

- SANSHIN spotlight at the bow
- Friendly staircase lights
- Small bow sofa
- Aft sofa
- Outdoor table in wooden cockpit with aluminum supports
- Access to the engine room from local crew or garage
- Cockpit and steps for flying in teak with courtesy lights
- Illuminated electro-hydraulic gangway with remote control, teak and Besenzoni handrail model PI 380356
- Besenzoni model SI 402 electro-hydraulic bathroom scale
- 2 cables for dock sockets and 220 V 32 A sockets with 20 m cable
- Extensible shower in cockpit with hot and cold water
- Side watertight door for the galley
- Side watertight door for the crew area
- 4 cylindrical fenders + N ° 2 fender spheres with covers
- Technical space with manual controls for the fire-fighting systems in the engine room, fuel stop and ventilation in the cockpit
- Teak cockpit, walks and platform
- Safety equipment:
  - 1 First aid kit
  - 1 Ring lifebuoy
  - 1 Floating rope
  - 16 Life jackets with vest

- 1 Italian flag
- 2 Life rafts 8 people each
- 1 Trumpet
- 1 Bell
- 7 Fire extinguishers 2 kg of powder

### **3.3 AFT PLATFORM**

- Teak platform and steps with courtesy lights
- Manual garage entry door

## **4. INTERIEUR**

### **4.1 UPPER BRIDGE**

#### LOUNGE AREA

- Sliding door in tempered safety glass and stainless steel frame
- Leather sofas on the right side
- Smoking table
- Mobile on the left
- 32 "LED TV
- Ceiling lighting with halogen lamps
- Dining room on the right, with a large table for 8 people
- Ceiling in skai
- 3 fan-coils for conditioning



- 220 V sockets, chromed switch plates
- Curtains
- Wooden floors

#### KITCHEN

- Rectangular top with free access from the dining room and the watertight door on the outside deck
- Extraction hood WHIRPOOL EXTRACTOR IX
- Microwave WHIRLPOOL 40L CRISP
- Ceramic glass hob with 4 BOSCH plates
- Fridge + freezer cap. 250 lt (220 V and 24 V) (with sea water cooling)
- Stainless steel sink with hot and cold water mixer
- Dishwasher
- Drawers
- Shelves
- Wooden floors
- Marble top
- Venetian blinds

## WHEELHOUSE

- Instrument panel for leather and aluminum instruments
- Mobile correspondence
- Skai ceiling
- Wooden floor
- Curtains
- Sofa on the right side
- Wooden table

## WHEELHOUSE INSTRUMENTATION

- Instruments for engines and inverters
- Engine monitors
- Touch screen monitor for complete management of the ship, lighting and synoptic alarm panels
- Engine control levers
- Helm wheel
- Rudder angle indicator
- Starting of main engines
- Magnetic compass
- VDO buzzers for alarms
- Electric light control
- Windshield wiper control with washing system
- Water level indicator

- Fuel level indicator
- Engine temperature indicator
- Raymarine I 70 wind
- Raymarine I 70 graphics
- Raymarine I 70 compass
- Raymarine I 70 combi
- Raymarine P70R autopilot
- Thruster controls
- 1 Raymarine G150 Radar Plotter
- VHF-RAY 240 E
- Raymarine Joystick
- Engine oil alarm
- Engine water temperature alarm
- Hydraulic steering system

## **4.2 LOWER DECK**

### OWNER'S CABIN

- Double bed with locker under the bed
- Leather headrest
- 2 nightstands
- Bed bands in leather and wood
- 2 reading lights

- 32 "LED TV
- Walk-in closet with visible hangers and drawers and courtesy lights
- Safe
- Opening portholes
- 220 V sockets
- Skai ceiling
- Sunshade blinds
- Double mattress
- Carpet
- Air conditioning fan-coil
- Ceiling lights
- Courtesy lights for handrails
- Mobile on the right and left with drawers and doors
- Walk-in closet on the right side with drawers and doors and hangers
- Wardrobe inside the cabin in the central part with mirror.
- Courtesy light above the bed

#### OWNER'S BATHROOM

- Separate shower enclosure with teak flooring, vertical shower system and bathroom accessories
- Shower
- 1 ceramic sink
- Marble top

- Set of accessories
- 220 V sockets
- 1 mixer tap
- Marble floors
- Venetian blinds
- Stainless steel porthole with mosquito net
- Lacquered ceiling with wooden frame
- Ceiling lamps
- Tecma electric toilet with bidet
- 1 mirrors with halogen lights
- Wardrobes

#### VIP CABIN

- 1 wardrobe with internal lights with drawers and doors, coat rack
- Complete double bed
- Headboard in leather with mirror
- 2 bedside tables
- 2 headrest wall lights
- Halogen ceiling lights
- Full sized double mattress
- Side portholes in stainless steel with mosquito nets
- Fan-coil for air conditioning

- Ceiling lamps
- Courtesy lights for handrails
- 220 V sockets
- Carpet
- 22 "LED TV
- Radio + DVD player

#### VIP CABIN BATHROOM

- Shower enclosure with teak flooring
- Unit with ceramic sink, marble top
- Mirror with halogen lights
- Hot / cold water mixer
- Complete set of accessories
- Stainless steel porthole with mosquito net
- Teak floor
- Cabinets with doors and mirrors
- Lacquered ceiling with wooden frame
- 220 V sockets and switches
- Venetian blinds
- Tecma electric toilet with bidet
- Led ceiling lights

## 1 GUEST CABINS

- Wardrobe with internal lights
- 2 beds
- Headboard in leather and mirror
- Leather bed bands
- Central bedside table with drawer
- Led ceiling lights
- 2 mattresses
- Fan-coil for air conditioning
- 2 stainless steel portholes with mosquito net and sunshade
- Headrest lamp
- Courtesy lights for handrails
- 220 V sockets and switches
- Curtains
- Carpet
- 22 "LED TV
- Radio + DVD player

## 1 GUEST BATHROOMS

- Separate shower enclosure with teak grating
- Ceramic marble sink
- Wardrobe with mirror and halogen lights

- Ceiling lamps
- Stainless steel porthole with mosquito net
- Wooden floors
- 220 V sockets and switches
- Complete set of accessories
- Venetian blinds
- Tecma electric toilet with bidet
- Ceiling lights
- Lacquered ceiling with wooden frame
- Three-way exhaust system directly into the sea only in the left-hand bathroom

#### CREW ACCOMMODATION REAR LOWER DECK

#### CAPTAIN CABIN

- Mobile
- Air conditioning fan coil
- Headboard
- Led lights
- Entrance door
- 1 bed
- 1 mattress
- Stainless steel porthole with mosquito net and sunscreen
- Wooden or linoleum floors



- 220 V sockets and switches
- Skai ceiling
- Curtains
- DVD / CD radio

#### CREW BATH

- Washbasin
- Teak floors
- Lacquered ceiling
- 220 V sockets and switches
- Complete set of accessories
- Mirror
- Shower with curtain
- Tecma electric toilet with bidet

#### CREW DINETTE

- Stainless steel sink
- Wooden floor
- Staircase with external access
- HOOVER washer dryer 5 Kg 1200 rpm

## REAR GARAGE

- 220 V sockets and switches
- Manual hatch
- Access to the engine room
- Fiberglass hatch

## 5. PROPULSION

- Main engines 2 x 1200 HP MAN
- ZF reducers
- Online transmission
- Fully soundproofed engine room
- Cathodic protection system with zinc anodes
- 80mm diameter stainless steel shafts, OTMAN support shafts  
and stern cases in fiberglass, carbon and gaskets in stern stainless steel
- Nibral five-blade propellers

## 6. EXHAUST SYSTEM

- Tubes and uprights in stainless steel
- Structural fiberglass discharge on the side
- Exhaust silencer with water-fumes separator

## **7. FUEL SYSTEM**

- 1 tanks 3200 tot.
- Electric level control
- Fuel level indicator
- Racor 75/1000 MAP filters for main engines
- Racor 120 AP filters for generators

## **8. SHIP GOVERNMENT SYSTEM**

- AISI 316 stainless steel rudders
- Emergency control Rudders with manual steel bar
- 2 manuals of 30 cc hydraulic pumps for wheels
- Electric hydraulic pump for type of steering CO500 / 6 / 0.75 produced by BCS, assisted by the autopilot
- Connection bar
- 1 actuator type CTC300A BCS

## **9. BILGE SYSTEM**

- 3 bilge aspiration for each of the three watertight compartments
- 1 electric-pump with by-pass with electric pump for the Gianneschi CP 40 fire-fighting service with suction from the steel manifold with bronze valves
- 3 Jabsco submersible electric pump type Rule 3700; 24 V
- 3 electric bilge level sensors
- 1 manual bilge pumps

- 3 bilge level alarms
- Engine cooling with sea water intake with three-way split for bilge (N ° 1 she-wolf)
- Bilge panels with touch screen system

## **10. FIRE FIGHTING SYSTEM**

- 1 pump with by-pass with electric bilge, Gianneschi CP 40
- 1 fixed fire-fighting system in the engine room CATEF MA740 FE227, activation from the cockpit
- 7 portable powder extinguishers of 2 kg based on current regulations
- Manual emergency shutdown of the fuel for the engines and generators and manual closing of the ventilation shutters

## **11. HYDRAULIC SYSTEM**

- Electric hydraulic pump for aft platform lifting unit actuators
- Electric hydraulic pump for rudder, assisted by the automatic pilot with the relative control system
- Besenzoni electric gangway and swim ladder
- Electric hydraulic pump for 24 Besenzoni integrated crane

## **12. ELECTRICAL SYSTEM**

### **12.1 GENERAL FEATURES**

- Main electrical panel, alarms and magneto-thermal switches located in the crew cabin for the entire control of the ship
- Monitoring system with control from the dashboard with touch screen
- Electrical panel powered by magneto-thermals located in the crew cab in order to protect all the magneto-thermal devices
- The power supplies available on board are 220V and 24V

- 3 dis-activation battery manuals located in the engine room
- 1 inverter Mastervolt 3000 W
- Parallel for starter battery

## **12.2 POWER SUPPLY ENERGY**

- 1 Kohler 20 kW generator located in the engine room
- 2 x 220V shore power supply sockets
- Service batteries of gel type 8V x 6V 390 Ah
- Batteries for gel-type motors for starting and emergency batteries N 4 \* 12V 250 A / h
- Gel batteries for generator 2 x 12V 100A / h
- Gel battery for thrusters 8 x 12V-150A / h
- 3 x 80 A electric battery charger for MASTERVOLT service, motors and generators

## **12.3 LIGHTING AND DISTRIBUTION**

The lighting system works with the following voltages:

- 220V main lighting
- 24V watertight exterior lights
- 24V courtesy staircase lights

## **13. AIR CONDITIONING SYSTEM**

- Condaria air conditioning unit type 60.000 Btu / h
- Control air conditioning in all cabins, saloon, dinette and crew cabin

#### **14. VENTILATION AND SUCTION SYSTEM**

- Forced air intakes for the engine room from the stern end parts of the superstructure
- Engine room ventilation with 2 fans

#### **15. FRESH WATER SYSTEM (HOT AND COLD)**

- GRP tank cap. 2000 liters
- 1 electronic autoclave
- 80 liter boiler.
- Shore water connection for fresh water and pressure reducer
- Level indicator on the bridge

#### **16. BLACK AND GRAY WATER SYSTEM**

- Electro-pump black water Gianneschi type ECO MV44
- 2 Gianneschi gray water pump type ECO MV44
- Electro-pump for each toilet contained in the toilet unit
- Black water tank. 800 liters. ca.
- 1 gray water tanks N ° 1 of 800 lt + N ° 1 of 180 liters.
- Possibility of draining black and gray water into the sea using the by-pass controls
- Level indicator on the bridge

## **17. SEA WATER SYSTEM**

- Sea water intakes with grills, filters and valves for the main engines
- Sea water intakes with filters and valves for the generators
- Sea water intakes with filters and valves for the air conditioning and fire circuit

## **18. MISCELLANEOUS**

- 4 cylindrical fenders + N ° 2 fender balls with covers
- 6 mooring lines of 25 meters each, diameter 22 mm
- Toolbox
- Spare parts kit
- 2 sailors

## **19. STANDARD INTERIOR FURNITURE**

### LOUNGE AREA

- Salon furniture and solid wood dinette
- Walls
- Ceilings
- Wood flooring
- Leather sofas
- Dining table
- Smoking table

## WHEELHOUSE

- Leather driving seats
- Dashboard in leather and aluminum, with tools
- Ceiling in skai
- Wooden floor

## KITCHEN

- Furniture
- Work plan
- Wooden floor
- Ceiling in skai

## BOOTHS

- Doors, windows and doors
- Furniture
- Walls
- Carpet
- Ceiling in skai

## BATHROOMS

- Marble top
- Teak flooring
- Bulkhead shower
- Lacquered wood furnit



## 20. PRICELIST & PAYMENT TERMS

All amounts are to be understood in Euros

Standard optionals:

|                                       |               |
|---------------------------------------|---------------|
| - Bimini Top                          | 10'000        |
| - Stern Thruster                      | 5'200         |
| - Sliding Platform                    | 35'000        |
| - Walkaround Teak                     | 15'000        |
| - Sat Antenna                         | 15'000        |
| - Underwater Lights                   | 1'500         |
| - <u>Awlgrip Color white</u>          | <u>57'000</u> |
| Total price of the Standard optionals | 138'700       |

**List price (Standard optionals included) 1'840'000 excl. VAT**

Extra optionals:

|                                    |                |
|------------------------------------|----------------|
| - Watermaker 120 L/H               | 11'500         |
| - Fly Teak                         | 20'000         |
| - Jet Tender                       | 32'000         |
| - Rolla propeller 5-Blade          | 16'000         |
| - <u>Stabilizers</u>               | <u>120'000</u> |
| Total price of the extra optionals | 199'500        |

**List price (Standard and extra optionals included) 2'039'500 excl. VAT**

**Asking price 1'600'000 excl. VAT**

Payment terms in % of the Sales price:

|    |     |  |
|----|-----|--|
| 1. | 40% | After signing the contract               |
| 2. | 30% | After 2 engines are completely installed |
| 3. | 20% | When the yacht has been in the water     |
| 4. | 10% | Before delivery                          |

Delivery: 6 month after signing the contract

## 21. PICTURES







## 22. BUILDERS CERTIFICATE



### BUILDER 'S CERTIFICATE

#### 1 DETAILS OF THE VESSEL

Name of the vessel: **BLUEBAY**  
Date of build: *in progress*  
Length in meters: **18.60**  
Depth in meters: **1.90**  
Breadth in meters: **5.00**  
Estimated tonnage: **47.00 t**  
Construction material: **GRP**  
Hull identification number (HIN): **IT – SUS640S02E122**

#### 2 BUILDER'S DETAILS

Builder's name: **Sunsea Italian Yacht S. r. l.**  
Full address: **Via dell' Artigianato S. N. 60012, Trecastelli (AN), Italy**  
Place of Build: **Via dell' Artigianato S. N. 60012, Trecastelli (AN), Italy**

#### 3 CERTIFICATIONS

I/we hereby certify that I/we have built out the vessel described above to the order of:

**Bluebay – Monaco S.A.R.L.**  
**2, Avenue de la Madone**  
**98000 Monaco**

SUNSEA ITALIAN YACHT srl  
Via dell' Artigianato S. N.  
60012 Trecastelli (AN) Italy  
CF/P. IVA 02834300424  
Signature of the builder: \_\_\_\_\_  
Company Administrator and Legal representative.

Signed on 20 October 2021